Received: March 17, 2026 | Accepted: April 10, 2026 | https://doi.org/10.65832/ms2025sc

Tabata for Law Enforcement Officers: Four Minutes that Matter

By Zachary Gillen, PhD, NSCA-CSCS*D, NSCA-CPSS*D
Assistant Professor of Exercise Physiology, Department of Kinesiology, Mississippi State University

Keywords: Tactical Fitness; Readiness; Endurance; Efficient and Effective Physical Training

Abstract

There are many different jobs in law enforcement, all of which require various levels of physical fitness. However, a common theme across law enforcement jobs involves long sedentary periods interspersed with moderate-to-high-intensity physical activity. Many law enforcement officers (LEOs) report lack of time, access to proper training facilities, and confidence in exercise knowledge as barriers to performing routine training. Thus, it is important to educate LEOs on how exercise can be performed with minimal resources in a short amount of time with little to no learning curve. Given the competing job demands for LEOs (unpredictable, high-intensity tasks; long sedentary periods; and limited time for training), exercise strategies must be both efficient and effective, which aligns well with Tabata-style training, as it can be done in bouts of exercise as small as four minutes. Tabata-style training can be done with minimal equipment and space, making it adaptable to a wide range of environments. The goal of this article is to provide an overview of Tabata training, its potential use in LEOs, and a sample program that could be incorporated that takes minimal time and equipment.

Job Demands in Law Enforcement

There are many different jobs in law enforcement, all of which require various levels of physical fitness. However, a common theme across law enforcement jobs involves long sedentary periods interspersed with moderate-to-high-intensity physical activity. For example, a patrol officer could spend an hour or longer in their vehicle and then, during a routine traffic stop, engage in a foot pursuit that involves running and vaulting objects. It is impossible to predict what a typical day on the job will entail, which emphasizes the importance of law enforcement officers (LEOs) being prepared for various scenarios. To be appropriately prepared, it is important to have a good fitness base to improve tactical performance. The higher one's physical fitness, the lower their risk of injury and the higher their mental well-being.[1,2] Furthermore, since LEOs can end up in life-or-death situations, it is important for them to be both physically and mentally prepared for any scenario, highlighting the need to focus on interventions that can increase tactical performance in a time-efficient and practical manner.

Previous research has clearly demonstrated that improved fitness in LEOs can improve job performance while simultaneously reducing injury and health risk.[3,4,5,6] In fact, Jia reported that better fitness after graduating from the academy predicted job performance.[7] Furthermore, it was reported that a one-point increase in fitness score was associated with an 11 percent reduction of injury risk, while high-fitness recruits remained injury-free significantly longer than those with lower fitness.[8] Thus, beginning a career

as a LEO with higher fitness can facilitate greater job longevity. Even though the importance of fitness has been clearly demonstrated in the literature, many LEOs report lack of time, lack of access to proper training facilities, and lack of confidence in exercise knowledge as barriers to performing routine training.[9,10,11] Thus, it is important to educate LEOs on how exercise can be performed with minimal resources in a short amount of time with little to no learning curve. This situation could potentially be dealt with by introducing Tabata training, which can be done using an array of movements (from simple to complex) in a short amount of time.[12,13,14,15] Given the competing job demands for this population (unpredictable and high-intensity tasks, long sedentary periods, and limited time for training), exercise strategies for LEOs should be both efficient and effective, which aligns well with Tabata-style training. The goal of this article is to provide an overview of Tabata training, its potential use by LEOs, and a sample program that could be incorporated that takes minimal time and equipment.

What Is Tabata Training and What Did the Original Research Show?

"Tabata" is often used as shorthand for any interval workout based on twenty seconds on, ten seconds off.[16,17] The original protocol was a supramaximal routine shown to improve aerobic and anaerobic capacity in just four minutes.[18] Specifically, the investigators used a cycle ergometer with eight bouts of twenty seconds of "all-out" work at approximately 180 percent VO_{2max} [maximal aerobic capacity], separated by ten seconds of rest for a total of four minutes.[19,20] Compared with exercise for sixty minutes at 70 percent of VO_{2max}, the Tabata group achieved similar increases in aerobic capacity, in addition to greater increases in anaerobic capacity. The protocol was short, intense, and uniquely effective across energy systems.[21,22,23] This observation supports the notion that improving aerobic and anaerobic fitness can be done with time-efficient training, given the intensity is appropriately high. Utilizing this form of training can provide a time-efficient approach to training, which is important when considering tactical populations, particularly LEOs who may have limited time for long periods of exercise training. For LEOs—whose work routine combines long sedentary periods with sudden, intense activity—time-efficient conditioning workouts that improve overall fitness and well-being can be the difference between "getting there" and "being effective when you arrive," all while minimizing the time needed for significant, positive exercise adaptations.

"Time-efficient conditioning workouts that improve overall fitness and well-being can be the difference between "getting there" and "being effective when you arrive . . ."

High-Intensity Interval Training with LEOs

Although the literature examining Tabata training in LEOs is limited, previous studies have examined high-intensity interval training (HIIT) in this population.[24,25,26] Similar to Tabata, HIIT training uses supramaximal intensities for a short duration (generally between two and five minutes), interspersed with rest periods of a similar length or slightly longer.[27] Previous studies have shown promise with utilizing HIIT-style training in LEOs.[28,29,30] In a nine-week intervention with LEOs, HIIT intervals of four-minute sessions, conducted four times per week, reduced body fat percentage and arterial stiffness, indicating its effectiveness in improving health.[31] Furthermore, participants reported enjoyment and satisfaction with the training program, which is an often-overlooked aspect of exercise programming.[32] The more enjoyment and satisfaction that comes with training, the greater the likelihood of long-term consistency in performing exercise.

This idea of HIIT training in LEOs was further examined in a

Perform the following exercises back-to-back. You will perform each exercise for twenty seconds, then rest for ten seconds. Once you finish the last exercise, go back to the first until you have completed four rounds. You can do more or less rounds as needed depending on your ability.
Exercise 1: Jump rope.
Exercise 2: Push-ups (if you have trouble doing normal push-ups, modify by placing your knees on the ground or your hands on an elevated surface).
Exercise 3: Jumping jacks.
Exercise 4: Crunches.
Total time commitment for four rounds = eight minutes.

Table 1—A potential Tabata-style training routine for beginners and with minimal equipment needs (only requires a jump rope).

clinical trial demonstrating similar results where HIIT training can significantly boost aerobic performance while being time-efficient.[33] At the academy level, introducing HIIT with resistance training over seventeen weeks produced significant improvements in fitness, comparable to standard training (i.e., resistance training on Mondays, muscular endurance training on Wednesdays, and either resistance training or muscular endurance training on Fridays) but with a lower perceived exertion.[34] This suggests HIIT-style training may prove efficient, particularly for individuals with limited workout time in their schedules. While Tabata is a specific form of HIIT, not all HIIT protocols meet the intensity or structure of the original Tabata design (i.e., 180 percent of VO_{2max}). However, at the very least, the literature on HIIT training for LEOs provides a proof-of-concept framework that short exercise durations with minimal equipment needed can prove effective for improving health and tactical performance. This suggests that utilizing the Tabata programming concepts is worth a greater look in LEO populations.

Why Does Tabata-Style Training Make Sense for LEOs?

Law enforcement work is inherently intermittent and unpredictable. Officers may spend prolonged periods sedentary, often seated in a patrol vehicle, followed by sudden, high-intensity physical tasks that require power and/or endurance—such as foot pursuits, climbing or vaulting obstacles, or engaging in physical altercations. These demands require both well-developed aerobic capacity, to sustain effort and recover quickly, and anaerobic capacity, to perform short bursts of maximal work. Tabata-style training aligns closely with these occupational demands. By design, Tabata protocols stress both aerobic and anaerobic energy systems within a very short time frame. This type of development is particularly important for LEOs, as real-world scenarios rarely rely on a single energy system. Instead, LEOs repeatedly transition between effort levels, often under physical fatigue and/or psychological stress. Tabata protocols support training in a way that mimics the physiological demands of the job, likely enhancing on-duty performance.

In addition to physiological specificity, one of the most compelling reasons to utilize Tabata-style training for LEOs is time efficiency. A consistent barrier to exercise participation in this population is a lack of time, along with limited access to equipment and uncertainty about how to train effectively.[35,36,37] Traditional exercise recommendations often emphasize longer-duration sessions, which may be unrealistic for officers working rotating shifts, overtime, or night schedules. In contrast, at the bare minimum a Tabata session can be completed in as little as four minutes of work (or up to fifteen to twenty minutes with

Perform the following exercises back-to-back. You will perform each exercise for twenty seconds, then rest for ten seconds. Once you finish the last exercise, go back to the first until you have completed four rounds. You can do more or less rounds as needed depending on your ability.
Exercise 1: Kettlebell swings (light to moderate weight).
Exercise 2: Dumbbell squat-to-press (light to moderate weight).
Exercise 3: Medicine ball slams (light to moderate weight).
Exercise 4: Sit-ups.
Total time commitment for four rounds = eight minutes.

Table 2. A potential Tabata-style training routine for more advanced individuals which uses more exercise equipment.

additional work, warmup, and cooldown), making it far more feasible to fit into a busy and unpredictable schedule.

The exercise efficiency component has important implications for exercise adherence. Even the most effective training program has little value if not performed consistently. Short, structured, and easily repeatable workouts lower the barrier to entry and increase the likelihood of LEOs engaging in regular physical activity. The enjoyment and satisfaction reported in HIIT-based interventions in LEOs support this idea,[38] suggesting that time-efficient, high-intensity training may be both practical and sustainable.

From a health perspective, this approach may help to address the elevated risk of metabolic and cardiovascular disorders observed in LEO populations.[39,40,41] Given the sedentary nature of much of police work, combined with high occupational stress,[42] implementing brief but effective exercise interventions may provide meaningful improvements in cardiovascular fitness, body composition, and mental well-being. Professionals in tactical strength and conditioning note that LEOs tend to lose fitness across a career, which necessitates programming that fits into unpredictable work schedules and demands and provides systemic adaptations across multiple energy systems to improve long-term health and job performance.[43] Improvements in fitness are consistently linked to reduced injury risk and conditions more favorable to mental well-being,[44,45] which should improve job performance. The evidence reinforces the value of integrating efficient training modalities, such as Tabata, into a LEO's routine.

Finally, Tabata-style training can be done with minimal equipment and space, making it adaptable to a wide range of environments. Whether performed in a gym, at home, or even on the job, exercises can be modified to match available resources and individual fitness levels. This flexibility further enhances the practicality of Tabata for LEOs who may not have consistent access to training facilities. Taken together, Tabata-style training represents a highly practical and physiologically relevant strategy for LEOs. It addresses key barriers to exercise participation while targeting the specific physical demands of the profession, all within a time commitment that is realistic for majority of this population. To illustrate how this approach can be implemented in practice, example Tabata-style training programs are provided in the subsequent section.

"In addition to physiological specificity, one of the most compelling reasons to utilize Tabata-style training for LEOs is time efficiency."

Example Tabata-Style Training Programs

The following are examples of Tabata-style training programs. Table 1 provides an example geared toward beginners and

those with minimal equipment, while Table 2 provides a more advanced example that incorporates various pieces of equipment. Please note, these examples are not a comprehensive training program, but rather an example of how Tabata training could be utilized in LEOs.

As stated above, these are only examples of what someone could do, which can easily be modified depending on training needs an experience level. The original Tabata training was performed on a cycle ergometer and involved eight rounds of twenty seconds on, ten seconds off (total time commitment of four minutes). One could begin with that training volume and increase as needed. Someone could also utilize Tabata training in the original manner on a cycle ergometer, with running, or on a rowing machine. The options for implementing Tabata-style training are limited only by creativity. Nevertheless, regardless of the method and modality used, this style of training is time-efficient and can be done with minimal or no exercise equipment if needed.

Safety of Tabata Training: How to Determine if Someone Is Ready

Before beginning any exercise program, it is important to understand the potential risks. For healthy adults, there are minimal health risks during vigorous exercise. However, as intensity increases, particularly in unsupervised settings, the potential for risk increases. The American College of Sports Medicine's updated consensus on screening and emergency policies emphasizes that while vigorous activity is generally safe, adopting HIIT-style training in unsupervised settings for individuals with known cardiovascular disease warrants additional caution.[46] The following, which are adapted for this population from the American College of Sports Medicine's guidelines,[47] should be followed when broadly using Tabata-style training for LEOs, particularly those who are currently sedentary and untrained:

- Use a brief health screen and refer LEOs with high health risk (e.g., history of heart disease, metabolic disorders) to medical clearance. Use a graded introduction to Tabata training by starting with submaximal intensities.
- Teach individuals what "maximal" means, such as using ratings of perceived exertion or measuring heart rate. Ratings of perceived exertion between nine and ten on a ten-point scale are considered maximal, while heart rates approaching 90 to 95 percent of heart rate max are considered maximal. Teach individuals when to stop (e.g., experiencing chest pain, difficulty breathing, dizziness).
- Begin with low-impact modalities such as a bike or rowing machine and progress to running or higher-impact modalities.
- Ensure that individuals properly warm-up for five to ten minutes prior to beginning exercise and walk at low-to-moderate intensities post exercise to cool down.

Conclusion

While Tabata training is a highly time-efficient and effective modality, it should complement, not replace, other key components of a comprehensive training program. It is important to continue to implement strength training in addition to Tabata. Although outside the scope of this paper, it is still recommended that LEOs incorporate strength training at least twice per week in addition to Tabata training at least twice per week. This approach provides a wholistic training program, where training sessions need not be long endeavors.

"The options for implementing Tabata-style training are limited only by creativity."

Author Biography

Zachary Gillen is an assistant professor in the Department of Kinesiology at Mississippi State University. His research focuses on strength and conditioning and sport science as it relates to a variety of populations and training demands. He has been highly involved in the National Strength and Conditioning Association (NSCA), currently serving as the NSCA's State Director for Mississippi. He also holds the Certified Strength and Conditioning Specialist credential and Certified Performance and Sport Scientist credential with the NSCA, both with distinction.



References

1. Michael Noetel, Taren Sanders, Daniel Gallardo-Gómez, Paul Taylor, Borja del Pozo Cruz, Daniel van den Hoek, Jordan J Smith, John Mahoney, Jemima Spathis, Mark Moresi, Rebecca Pagano, Lisa Pagano, Roberta Vasconcellos, Hugh Arnott, Benjamin Varley, Philip Parker, Stuart Biddle, and Chris Lonsdale, "Effect of Exercise for Depression: Systematic Review and Network Meta-Analysis of Randomised Controlled Trials," *British Medical Journal* 384 (2024): e075847.
2. Rhiannon L. White, Stewart Vella, Stuart Biddle, Jordan Sutcliffe, Justin M. Guagliano, Riaz Uddin, Alice Burgin, Maria Apostolopoulos, Tatiana Nguyen, Carmen Young, Nicole Taylor, Samantah Lilley, and Megan Teychenne, "Physical Activity and Mental Health: A Systematic Review and Best-Evidence Synthesis of Mediation and Moderation Studies," *International Journal of Behavioral Nutrition and Physical Activity* 21, no. 1 (2024): 134.
3. Dongming Jia, "Graduation-Stage Physical Fitness as a Predictor of Operational Performance and Injury Risk among Police Recruits: A Prospective Cohort Study," *British Medical Journal Open Sport & Exercise Medicine* 11, no. 4 (2025): e002871.
4. Bridget F. Melton, Richard Cleveland, Joseph Dulla, Isaiah Mews, Andrew Ashley, Mario Keko, Haresh Rochani, and Joseph Kardouni, "Reducing Injury Risk in Law Enforcement: Evaluating a Standardized Physical Training Model with Fitness Outcomes," *Journal of Occupational and Environmental Medicine* (2026): accessed March 9, 2026.
5. Takalani Clearance Muluvhu, Tumisang Shadrack Hashona, Abel Lamina Toriola, Yvonne Paul, and Makama Andries Monyeki, "Association between Cardiorespiratory Fitness Levels and Cardiometabolic Risk Factors among Metropolitan Police Officers: A Cross-Sectional Study." *BMC Public Health* 26, no. 1 (2026): 839.
6. Jeremy Robinson, Ben Schram, and Robin Orr, "The Effect of a Daily Undulating Periodization Program on the Physical Performance of Trainee Tactical Police Officers." *Journal of Strength and Conditioning Research*, (2026): accessed January 5, 2026.
7. "Graduation-Stage Physical Fitness as a Predictor of Operational Performance and Injury Risk among Police Recruits: A Prospective Cohort Study."
8. Ibid.
9. Yuliang Feng, Chao Chen, Yang Liu, and Sen Li, "Physical Exercise Behavior Characteristics and Influencing Factors for Participation in Police Officers," *Frontiers in Public Health* 12 (2025): 1507066.
10. Robert G. Lockie, Maria M. Beitzel, Robin M. Orr, J. Jay Dawes, and Joseph M. Dulla, "A Preliminary Analysis of

Self-Efficacy Relationships with General and Job-Specific Fitness in Law Enforcement Officers," *Journal of Strength and Conditioning Research* 40, no. 2 (2026): e197–201.
11. Andrzej Soroka and Bogusław Sawicki, "Physical Activity Levels as a Quantifier in Police Officers and Cadets," *International Journal of Occupational Medicine and Environmental Health* 27, no. 3 (2014): 498–505.
12. Izumi Tabata, "Tabata Training: One of the Most Energetically Effective High-Intensity Intermittent Training Methods," *The Journal of Physiological Sciences* 69, no. 4 (2019): 559–72.
13. Izumi Tabata, "Tabata Training in Perspective," *Applied Physiology, Nutrition, and Metabolism* 50 (2025): 1–10.
14. Izumi Tabata, Kouichi Irisawa, Motoki Kouzaki, Kouji Nishimura, Futoshi Ogita, and Motohiko Miyachi, "Metabolic Profile of High Intensity Intermittent Exercises," *Medicine & Science in Sports & Exercise* 29, no. 3 (1997): 390.
15. Izumi Tabata, Kouji Nishimura, Motoki Kouzaki, Yuusuke Hirai, Futoshi Ogita, Motohiko Miyachi, and Kaoru Yamamoto, "Effects of Moderate-Intensity Endurance and High-Intensity Intermittent Training on Anaerobic Capacity and VO_{2max}," *Medicine & Science in Sports & Exercise* 28, no. 10 (1996): 1327–30.
16. "Tabata Training: One of the Most Energetically Effective High-Intensity Intermittent Training Methods."
17. "Tabata Training in Perspective."
18. "Effects of Moderate-Intensity Endurance and High-Intensity Intermittent Training on Anaerobic Capacity and VO_{2max}."
19. "Metabolic Profile of High Intensity Intermittent Exercises."
20. "Effects of Moderate-Intensity Endurance and High-Intensity Intermittent Training on Anaerobic Capacity and VO_{2max}."
21. "Tabata Training: One of the Most Energetically Effective High-Intensity Intermittent Training Methods."
22. "Metabolic Profile of High Intensity Intermittent Exercises."
23. "Effects of Moderate-Intensity Endurance and High-Intensity Intermittent Training on Anaerobic Capacity and VO_{2max}."
24. Cameron C. Dulsky, Christopher P. Renzi, Natalie N. McLaurin, Tianyu Wang, Lin-Sheng Chen, Morgan R. Walters, and Hirofumi Tanaka, "Effects of Supra High-Intensity Interval Training in Police Officers," *The Journal of Sports Medicine and Physical Fitness* 63, no. 4 (2024): 543–49.
25. Gabriel J. Martinez, Xin Ma, Stuart Best, Benjamin F. Johnson, and Mark G. Abel, "Implementation of High Intensity Interval Training and Autoregulatory Progressive Resistance Exercise in a Law Enforcement Training Academy," *International Journal of Exercise Science* 15, no. 4 (2022): 1246–61.
26. University of Texas at Austin, "Supra High-Intensity Interval Training for Austin Police Officers," Clinical Trial Registration No. NCT04752436 (2021), ClinicalTrials.gov. https://clinicaltrials.gov/study/NCT04752436.
27. G. B. Deakin and C .P. M. Sharp, "Program Design and Technique for Aerobic Endurance and Metabolic Training," in *Essentials of Strength Training and Conditioning* 5th ed., eds. G. Gregory Haff and N. T. Triplett (Champaign, IL: Human Kinetics, 2026), 693–720.
28. "Effects of Supra High-Intensity Interval Training in Police Officers."
29. "Implementation of High-Intensity Interval Training and Autoregulatory Progressive Resistance Exercise in a Law Enforcement Training Academy."
30. "Supra High-Intensity Interval Training for Austin Police Officers."
31. "Effects of Supra High-Intensity Interval Training in Police Officers."
32. Ibid.
33. "Supra High-Intensity Interval Training for Austin Police Officers."
34. "Implementation of High Intensity Interval Training and Autoregulatory Progressive Resistance Exercise in a Law Enforcement Training Academy."
35. "Physical Exercise Behavior Characteristics and Influencing Factors for

Participation in Police Officers."
36. "A Preliminary Analysis of Self-Efficacy Relationships With General and Job-Specific Fitness in Law Enforcement Officers."
37. "Physical Activity Levels as a Quantifier in Police Officers and Cadets."
38. "Effects of Supra High-Intensity Interval Training in Police Officers."
39. Amanda A. Anderson, Hyelim Yoo, and Warren D. Franke, "Associations of Physical Activity and Obesity with the Risk of Developing the Metabolic Syndrome in Law Enforcement Officers," *Journal of Occupational and Environmental Medicine* 58, no. 9 (2016): 946–51.
40. Tara A. Hartley, Cecil M. Burchfiel, Desta Fekedulegn, Michael E. Andrew, and John M. Violanti, "Health Disparities in Police Officers: Comparisons to the U.S. General Population," *International Journal of Emergency Mental Health* 13, no. 4 (2011): 211–20.
41. Marquell Johnson, Saori Braun, Michelle Hecimovich, Katrina Schultz, Chantal Bauer, Anna Bohn, and Jeff Janot, "Risk of Metabolic Syndrome among Law Enforcement Officers Due to Physical Activity and Posture Behaviors," *Journal of Occupational Health* 66, no. 1 (2024): 1–5.
42. Maria Korre, Andrea Farioli, Vasileia Varvarigou, Sho Sato, and Stefanos N. Kales, "A Survey of Stress Levels and Time Spent Across Law Enforcement Duties: Police Chief and Officer Agreement," *Policing: A Journal of Policy and Practice* 8, no. 2 (2014): 109–22.
43. Brandon Holder and Merrick Lincoln, "On-Duty Strength and Conditioning Programming Considerations for Police Officers," *NSCA TSAC Report* 74 (2024): 4–9.
44. "Effect of Exercise for Depression: Systematic Review and Network Meta-Analysis of Randomised Controlled Trials."
45. "Physical Activity and Mental Health: A Systematic Review and Best-Evidence Synthesis of Mediation and Moderation Studies."
46. *ACSM's Guidelines for Exercise Testing and Prescription*, 11th ed. (Alphen aan den Rijn, Netherlands: Wolters Kluwer, 2022), 27–57.
47. Ibid.

